

One accent. Borders, not glows. Proof over prose.

The name, logo, colour, type and voice of Provable.io, for anyone who writes about it, links to it or builds on the API. Every colour and size here is read from the live site, so this document and provable.io always agree.

[GET STARTED →](#)[VIEW ON GITHUB](#)

01

Colour

Near-black canvas, four text greys, one lime accent kept scarce.

02

Typography

Inter for words, JetBrains Mono for data. Sentence case, tight tracking.

03

Name and logo

Provable.io with the .io. The die and the wordmark, white on dark.

04

Voice

Plain words, short sentences. A hash or a replay beats an adjective.

Provable.io, with the .io.

The name

- **Provable.io**, capital P, with the .io, in running text and headlines.
- Not "Provable" on its own. The bare word also names an unrelated oracle company and a branch of cryptography, and search engines mix them up.
- **provable.io**, lowercase, only when you mean the address.
- The capitals in the logo belong to the logo. They are not the spelling.

Using the logo

- Clear space: half the logo's height on every side.
- Smallest size: 28 px tall for the full logo. Below that, use the die alone, down to 16 px.
- On white, use the black version. On a photo, put the white version on a solid dark plate.
- ✗ Recolouring (no lime logo), stretching, glows or shadows, or the name set in another font.

Downloads: provable.io/brand



On dark, the default.



On white.



The die alone: avatars and small spaces.

Six rules that make it look like Provable.

If a new page breaks one of these, fix the page, not the rule.

01

Canvas

Page `--bg #090c0c`; frames one step lighter (`--surface #111515`); 1 px borders at 14% cream. Depth comes from borders and tone steps. No glows, no drop shadows, no gradients on content.

✗ Glow behind a hero, shadow under a card.

02

Accent discipline

About 95% of the page is grey. Lime appears only on: the primary button, text links, focus rings, the slider handle, our own figure in a comparison, string tokens in code, the selected-row marker.

✗ Lime headings, lime icons, lime section backgrounds, a second accent.

03

Type pairing

Inter for headlines and body. JetBrains Mono for eyebrows, labels, code, tables, timestamps, hashes and every number inside a frame.

✗ Mono body copy; Inter inside a data table.

04

Headline voice

Short declarative sentences in sentence case, ending in a period, stating the concrete benefit: *Every draw leaves a receipt.*

✗ UPPERCASE 900-weight titles, slogans, exclamation marks.

05

Rhythm

Alternate section shapes down the page (statement → frame → band → cards → table → rows → centred CTA). Whitespace between sections, density inside frames.

✗ Two identical card grids back to back; long copy blocks.


06

Show, don't claim


Persuasion is a working frame: real requests, real hashes, real replays. Copy stays at 2–3 lines per block and every number shown must be real or computed.

✗ Mock numbers, fake logos, invented quotes, stat bars with no source.


The reference, live on provable.io



Statement hero, dual CTA, product frame directly below



Statement + full-width table frame with a detail drawer



Feature row: text 5 left, code frame 7 right

Grey does the work. Lime points.

Surfaces · darkest to lightest

bg
--bg · #090C0C
Page canvas, open cells

bg-2
--bg-2 · #0C1010
Output + drawer panes inside frames

surface
--surface · #111515
Frames, cards, mini visuals

surface-2
--surface-2 · #161B19
Selected row, bar tracks

Lines

border
--border · rgba(244, 240, 232, 0.14)
Every 1 px divider. Renders ≈ #2a2c2b

border-strong
--border-strong · rgba(244, 240, 232, 0.26)
Ghost buttons, step numbers, flags. ≈ #464745

Text

text-strong
--text-strong · #F4F0E8
Headlines, values, active tabs

text
--text · #DEDAD2
Default body in frames and code

text-dim
--text-dim · #AAA69E
Paragraphs, table cells

text-faint
--text-faint · #858981
Eyebrows, labels, timestamps, code comments

Accent · the only saturated colour

accent
--accent · #E6FF57
Primary button, links, focus, our figure

accent-hover
--accent-hover · #F0FF94
Hover on accent elements only

Status · meaning only, never decoration

Success

Loading

Error

text colour on a 12–13% tint, pill radius

Measured contrast (WCAG 2.x)

TOKEN	HEX	ON BG	ON SURFACE	GRADE
--text-strong	#f4f0e8	17.3:1	16.2:1	AAA
--text	#dedad2	14.1:1	13.2:1	AAA
--text-dim	#aaa69e	8.1:1	7.6:1	AAA
--text-faint	#858981	5.5:1	5.2:1	AA
--accent	#e6ff57	17.6:1	16.5:1	AAA
--success-text	#8cebb3	13.7:1	12.8:1	AAA
--warn-text	#ffd57d	14.1:1	13.2:1	AAA
--error-text	#ffa6a6	10.8:1	10.1:1	AAA
--accent-ink on accent	#101410	16.6:1		AAA

Every text token passes AA on both surfaces, so any grey is safe for small text. Lime is the only saturated colour; status colours carry meaning, never decoration.

Two families. Twelve roles. Measured, not guessed.

Inter variable (self-hosted, /fonts/inter-variable.woff2)
JetBrains Mono 400–700 · sizes computed on provable.io at 1440 px

Hero headline	Proof over prose.	Inter 650 · 76px → 40px phone · lh 1.02 · -0.035em clamp(2.5rem, 6.4vw, 4.75rem)
Section statement	Every piece is public.	Inter 650 · 48px → 32px phone · lh 1.08 · -0.03em clamp(2rem, 3.8vw, 3rem)
Card title	Math.random() leaves no receipt.	Inter 600 · 17.28px · lh 1.6 · -0.01em 1.08rem
Hero sub	A free, open-source API for random numbers and shuffles.	Inter 400 · 17.92px · lh 1.6 · +0em 1.12rem · max 36rem
Section body	The generator, the spec and the audit trail are all open.	Inter 400 · 16.32px · lh 1.65 · +0em 1.02rem · max 40rem
Card body	Fine for particles, useless in a dispute.	Inter 400 · 14.88px · lh 1.6 · +0em 0.93rem
Mono eyebrow	PROVABLY FAIR RNG API · OPEN SOURCE	JetBrains Mono 500 · 11.52px · lh 1.6 · +0.14em · UPPER 0.72rem · 500 · 0.14em
Field label	TYPE	JetBrains Mono 500 · 11.2px · lh 1.6 · +0.08em · UPPER 0.7rem · 0.08em
Table / data	6bqsyaI07a 2026-09-29 14:02:11 [2033,741,137] 3f9c1e7a...	JetBrains Mono 400 · 12.48px · lh 1.6 · +0em 0.78rem · tabular-nums
Code	const draw = await provable.ints({ count: 3, min: 1, max: 2400 });	JetBrains Mono 400 · 12.8px · lh 1.7 · +0em 0.8rem · lh 1.7
Big figure	2,400	JetBrains Mono 600 · 44.8px → 30.4px phone · lh 1 · -0.03em clamp(1.9rem, 4vw, 2.8rem)
Button	GET STARTED →	Inter 600 · 16px · lh 1 · +0.08em · UPPER 600 · 0.08em · UPPER

Hero headline sample shown at 58 px to fit the page (live: 76px). Final CTA headline uses the same recipe at clamp(2.3rem, 5.4vw, 4.2rem) = 67.2px.

How to set words on a Provable page.

Headlines

- Sentence case, weight 650, tracking -0.03 to -0.035em, line-height 1.02-1.08.
- One idea, ends in a period. Two short clauses are fine: *Hash first. Seed second.*
- `text-wrap`: `balance` on h1/h2 so lines break evenly.
- Hero measure 17ch; section statements live in a 40rem column.
- × UPPERCASE, weight 800-900, positive tracking on headlines.

Body

- Inter 400 in `--text-dim`; 15-18 px; line-height 1.6-1.65.
- 2-3 lines per block. If it needs more, it needs a frame, table or link instead.
- Measure: 36rem (hero), 40rem (section head), 760 px max for articles.
- Inline `code` in mono at 0.88em, `--text-strong`.
- × Paragraphs in `--text-strong`; centred body text longer than one line.

Mono

- Eyebrows: 11.5 px, 500, 0.14em, UPPER, `--text-faint`. One per section, above the headline.
- Labels: 11 px, 0.08em, UPPER. Data: 12.5 px, `tabular-nums`.
- Everything inside a frame that is a value (hash, seed, nonce, count, time) is mono.
- Code tokens: keywords + comments faint, names strong, strings accent. Nothing else coloured.
- × Boxed or bordered eyebrow pills with icons.

Write it like this

PROVABLY FAIR RNG API · OPEN SOURCE

Every draw leaves a receipt.

A server hash before, the seed after, and a replay anyone can run.

Not like this

★ TRUSTED BY THOUSANDS

THE #1 MOST SECURE RANDOM PLATFORM!

Uppercase shout, superlative with no proof, badge eyebrow, exclamation mark.

The homepage headline set · copy this pattern

Generate provably fair random numbers.	Every piece is public.	Random you can't check is just a claim.	Every draw leaves a receipt.
Uniform means uniform.	Typed client. Zero dependencies.	Hash first. Seed second.	A proof page for every draw.
Built for draws people care about.	How it stacks up.	Frequently asked questions.	Commit first. Prove every draw.

The parts, as they appear on the homepage.

Actions · three levels

GET STARTED →

VIEW ON GITHUB

Read the spec → Verify this result

Primary: solid accent, 2 px radius, one per view, with →.
Secondary: 1 px ghost. Tertiary: accent text link with →. In-frame actions: small ghost, sentence case. Hero and final CTA use the identical pair.

Section head

COMMIT-REVEAL

Hash first. Seed second.

Publish the hash before the draw so nobody, including us, can change it.

How commit-reveal works →

Eyebrow → statement → 2–3 lines → optional text link. Nothing else.

Status + selection

Success Loading Error

Focus: outline: 2px solid var(--accent), offset 2 px (~2 px inside frames). Selected row: --surface-2 + 2 px accent inset on the first cell.

Motion: hover brightens borders/backgrounds in 0.15 s. Results may pop in once. All animation off under prefers-reduced-motion.

PRODUCT FRAME GET api.provable.io/api/ints?count=3&max=2400 No key needed

// publish the hash with the winner so anyone can check it later
const draw = await provable.ints({ clientSeed: "raffle-2026-10", count: 3 });
await announce(draw.outcome, draw.serverHash);

1 px border, 6 px radius, --surface. Mono bar (title UPPER strong, rest faint). Panes inside a frame are divided by borders, never nested cards.

provable-core MIT generator	openapi.json Full spec	/o:id Proof page per draw	/transparency Merkle log
@provableio/sdk Typed TS client	replay.js Browser verifier	/status Uptime	GitHub Every commit

Cell grid: 1 px gaps on a --border background, cells --bg, hover --surface. Use for link lists and specs instead of a card per item.

SHORT ID	TIME (UTC)	OUTCOME
sLDHNIXJ9N	14:02:11	[2033,741,137]
6bqsyai07a	14:01:48	[4]

Tables: mono, tabular-nums, no zebra stripes, 1 px row rules, headers faint UPPER.

Show the proof. Skip the adjective.

How we sound

- Plain words, short sentences. Say what happened, then how to check it.
- A hash, a replay or a link beats an adjective.
- ✗ best, #1, unhackable, military-grade, guaranteed, 100% fair, exclamation marks, emoji.

Writing about proofs

- Spell fields the way the API does, in code: `serverSeed`, `serverHash`, `clientSeed`, `nonce`.
- "provably fair" is lowercase mid-sentence, with no hyphen.
- Every example is real: a hash you show should verify and a result should replay.
- A proof shows the draw was fixed before the client seed existed and wasn't changed after. It says nothing about odds or house edge.

Describing Provable.io

One line: Random numbers anyone can verify.

Short: Provable.io is a free API for random numbers anyone can verify. Every draw is committed before it happens and can be replayed after, and the generator, provable-core, is open source under the MIT license. Provable.io is built and run by RedPkt.

Rewrites

INSTEAD OF	WRITE
✗ The #1 most secure random platform!	Every draw leaves a receipt: a hash before, the seed after, and a replay anyone can run.
✗ 100% guaranteed fair results.	Check any result yourself: <code>sha256(serverSeed)</code> must equal the <code>serverHash</code> published first.
✗ Military-grade encryption.	HMAC-SHA256, keyed by a server seed we commit to before you send yours.

Link to provable.io or to the page you're quoting. Press and partnerships: hello@provable.io.